

INDUSTRIAL



800-853-5946

www.ultimatesanitarysupply.com

“CONTINENTAL HUSKEE” TILT TRUCKS

Four models that all feature one piece extra-strong seamless polyethylene construction. Bins will not leak, dent, pit, corrode or absorb moisture. 12-gauge, 7/8” reinforced /welded tubular steel frame is designed for maximum strength and maximum weight. Easily handled by one person. Smooth interior walls prevent adherence and build-up of debris and contaminants. Can easily be cleaned with steam or high-pressure hot water. All exposed parts are protected by rustpreventive grey enamel. And most models are equipped with deluxe roller bearing wheels with grease fittings and solid rubber heavy-duty swivel casters, providing full maneuverability, stability and longer life span. Optional vinyl cover fits snugly with elastic band, keeps debris in and weather out.



TUT700 5/8 CU. YD. UTILITY DUTY TILT TRUCK

LOAD CAPACITY: 300 lbs. Dimensions: 63 1/4”L x 28 1/2”W x 38”D Utility Duty Tilt Truck, 5/8 cu. yd. Rotational Molded for one-piece extra-strong seamless construction. Narrow width for use through standard office doorways. Insert wheel placement prevents wall door damage and allows for nesting in storage. Lids Available.



TUT703 5/8 CU. YD. TILT TRUCK COVER

Center stainless steel hinged, domed design. Fits all 5/8 cu. yd. tilt trucks. Dimensions: 63-1/4”L x 28-1/2”W x 9”D



TUT704 1.1 CU.YD. UTILITY TILT TRUCK

LOAD CAPACITY: 800 lbs. Dimensions: 72 1/2”L x 33 1/2”W x 39 1/2”D Utility Tilt Truck, 1.1 cu. yd. w / 12 gauge x 7/8”OD steel tubing reinforced welded frame and rust preventive grey enamel, 3/4”OD solid tempered steel axle. Two 12” rubber wheels 2 1/2” wide, ball bearing with grease fittings; two 5” swivel solid rubber casters.



TUT701 5/8 CU. YD. STANDARD DUTY TILT TRUCK

LOAD CAPACITY:750 lbs. Dimensions: 63 1/4”L x 28 1/2”W x 38”D Standard Duty Tilt Truck, 5/8 cu. yd. Rotational Molded for one-piece extra-strong seamless construction. Narrow width for use through standard office doorways. Insert wheel placement prevents wall door damage and allows for nesting in storage. Lids Available.



TUT705 HEAVY DUTY 1.1 CU- YD. UTILITY TILT TRUCK

LOAD CAPACITY: 2000 lbs. Dimensions: 72 1/2”L x 33 1/2”W x 39 1/2”D Utility Tilt Truck, 1.1 cu. yd. w / 12 gauge x 7/8”OD steel tubing reinforced welded frame and rust preventive grey enamel, 1 “OD solid reinforced axle. Two 12” solid vulcanized rubber wheels, 2 1/2” wide, cast-iron hub, ball bearings with grease fittings; two 5” swivel heavy-duty solid rubber casters with ball bearing.



TUT702 HEAVY DUTY 5/8 CU. YD. TILT TRUCK

LOAD CAPACITY: 1200 lbs. Dimensions: 63”L x 28”W x 38”D Heavy-Duty Tilt Truck, 5/8 cu. yd., 126 gal., 13.6 bushel w/12 gauge x 7/8”OD steel tubing reinforced welded frame and rust preventive grey enamel, 1”OD solid reinforced axle. Two 12” solid vulcanized rubber wheels, 2 1/2” wide, cast-iron hub, ball bearings with grease fittings; two 5” swivel heavy-duty solid rubber casters with ball bearings. Inset wheels for nesting in shipment. Black.



Tilt Trucks 5/8 cu. yd.
All models feature one-piece extra-strong seamless industrial plastic construction. Inset wheel placement prevents wall/door damage and allows for nesting in shipment and storage. Our 5/8 size even fits through standard office doorways.



Tilt Truck Cover 5/8 cu. yd.
Covers are designed to drain water for use in indoor or outdoor applications. Hinge drain gutter diverts liquid harmlessly to the outside



Molded plastic handles provide ergonomics, increasing comfort and control. Three strategically positioned hand grips make dumping these trucks a breeze. All exposed metal parts are protected by rust-preventive enamel finish.



Domed design provides excellent strength. Lid can be drilled at hole locator to accommodate a pad lock to keep contents secure.

“CONTINENTAL” RECYCLING TILT TRUCKS

Designed to promote recycling in any environment, this family of products handles recycling from desk-side to curb-side with containers that conveniently promote the separation of waste at the source. Each of these products are manufactured of 20% or more verifiable post-consumer recycled waste plastic. The color cannot fade, chip, peel or ever scratch off. Impervious to rust or corrosion, these containers also will not dent or crack even under extreme weather conditions. ALL RECYCLING RECEPTACLES HAVE THE “WE RECYCLE” IDENTIFICATION.



TUT706 50 GAL. BLUE RECYCLE TILT’N WHEEL CONTAINER WITH LID
 Dimensions(HxWxD): 41” x 23” x 27 1/4” overall



TUT707 BLUE ‘RECYCLE STANDARD-DUTY 750LB. TILT TRUCK
 Capacity: 750 lbs.; 5.8 cu. yd, 126 gal.
 Features one-piece, extra-strong, seamless industrial plastic construction. Leakproof bins will not dent, pit, corrode or absorb moisture. 12-gauge 7/8” reinforced/welded tubular steel frame for maximum strength and maximum weight. Easily handled by one person. Easily cleaned with steam or high-pressure hot water. All exposed parts are protected by rust-preventive gray enamel. Equipped with 2-8” ball bearing wheels, 2-1/2” wide and 3” ball bearing swivel casters of solid rubber. Blue with ‘WE RECYCLE’ logo in white on both sides. Measures: 72-1/2” x 33-1/2” x 39-1/2”

TOTER TILT & UTILITY TRUCKS & CARTS



TUT708 1/2 CUBIC YARD UTILITY DUTY TILT TRUCK
 Universal tilt truck with fork pockets make trucks ready for automation. Rugged Rim construction increases durability in critical wear area. Optional hitch allows towing up to five trucks at once. Quick disconnect wheels for easy cleaning & maintenance. Powder-coating frames prevent rusting & flaking. 1/2 cu yd Utility duty 53” x 32.25” x 37” 400lbs Load Rating. ***Handle not included on this model.



TUT710 12 BU STANDARD DUTY UTILITY TRUCK
 Manual unloading utility truck has sloped front helps prevent back injuries by allowing easy access to container bottom. Towable option increases productivity. Rugged Rim construction increases durability. Fork pockets & saddle bars enable this item to be used on varying lift systems. 5-inch non-marking swivel casters for quiet transport. Caster placement: Diamond - 2 rigid, 2 swivel. 12 bu Standard duty 46.5” x 28.5” x 42” 700lbs Load rating



TUT709 1.1 CUBIC YARD STANDARD DUTY TILT TRUCK
 Universal tilt truck with fork pockets make trucks ready for automation. Rugged Rim construction increases durability in critical wear area. Optional hitch allows towing up to five trucks at once. Quick disconnect wheels for easy cleaning & maintenance. Powder-coating frames prevent rusting & flaking. 1/2 cu yd 1 cu yd Standard duty 72” x 32.5” x 44” 1,200lbs. Load Rating Has handle.



TUT711 17.5 CUBIC FT. TILT CART
 Collapse the handle for quick & easy storage. Easy to tilt & roll even heavy, bulky loads. Seamless body design allows for easy cleaning. 17.5 cu ft 51.25” x 32.25” x 39.00” (handle collapsed) 800lbs.

“WESCO” PLASTIC BOX UTILITY TRUCKS



WESCO Plastic Box Trucks are useful for storing, protecting or transporting almost any bulky, heavy material. Built of one-piece molded polyethylene, trucks are easy to keep clean. No corners or seams to catch dirt. One-piece molded construction also assures long service life. FEATURES: One piece seamless molded plastic construction. Five sizes: 4, 8, 12, 16 and 20 bushels. Five color choices: white, grey, blue, red, yellow. Casters mounted on 5-ply plywood base for extra rigidity (except 4 bushel models). Heavy 0.125” wall thickness. Two swivel, two rigid 5” polyurethane casters.

TUT712	White	32	4	350	21.5” x 21” x 32
TUT713	Blue	64	8	450	30” x 24” x 35.5
TUT714	White	64	8	450	30” x 24” x 35.5
TUT715	Grey	96	12	550	35” x 28” x 38”
TUT716	White	96	12	550	35” x 28” x 38”
TUT717	Grey	128	16	600	37” x 30” x 42”
TUT718	Yellow	128	16	600	37” x 30” x 42”
TUT718	Grey	160	20	600	40” x 34” x 46”
TUT719	White	160	20	600	40” x 34” x 46”

“CONTINENTAL” PLATFORM TRUCKS



Structural plastic sides add protection against wall and door damage - no bumpers required. 2 swivel, 2 fixed casters provide maximum maneuverability. Designed to withstand temperatures from -40 F/40C to 180F/82C. Quiet smooth & maintenance free. Structural plastic will not rust, dent, crack, chip, peel or splinter unlike conventional metal or wood.

Two (2) handle platform trucks & trucks with 8” pneumatic wheels are also available.

TUT720	UTILITY	700 lbs.	24” x 48”	5”
TUT721	STANDARD	1,200 lbs.	24” x 48”	6”
TUT722	HEAVY	2,200 lbs.	24” x 48”	6”
TUT723	UTILITY	700 lbs.	30” x 60”	6”

HAND TRUCKS, PALLET JACK AND BARREL STAND



TUT724 DELUXE STEEL HAND TRUCK
For Drums or Cartons. Enamel finish. 650 lbs. load capacity. Dimensions: 46 1/4”H x 19 3/8”W

TUT725 WESCO COBRA JR. CONVERTIBLE HAND TRUCK
New aluminum 650 lb. capacity COBRA convertible hand truck. Changes from 2 wheel to 4 wheel position at the press of a lever. With extruded 18” wide nose plate, 16” deep. Folding nose and aluminum deck. Comes with 10” x 3.5” pneumatic wheels, dual hand grips for improved control & 3 frame cross braces. Frame bed measures 12” x 38” and the unit is 51.75” overall.



TUT726 WESCO STANDARD DRUM CRADEL W/INBOARD WHEELS
Economical & convenient way to tip, drain & store 55 gallon drums. Easy for one person to use. Ships knockdown boxed for U.P.S. . Polyolefin wheels positioned inside the frame. 600 lb. Capacity



TUT727 WESCO SUPERLITE FOLDABLE COMPACT TRUCK
Superlite’s nose and wheels fold in for storage & transport. Press of a button releases nose. Unfolding nose moves wheels into operating position. Light weight aluminium with a 19” x 12” noseplate. Elastic straps for securing load. 7” x 1.5” non-marking shock absorbing rubber tread wheels. Handle extends to 42” and contracts to 29.5” x 19” x 2” for storage.



TUT728 WESCO 5,000 LB. DELUXE PALLET TRUCK
This 5500 lb capacity Deluxe Pallet truck features a one year warranty on the hydraulics. This truck measures 48” high, has a Safety loop spring-loaded handle with a 200o steering angel for maneuverability in tight areas. Triple function hand control (raise, neutral, lower). Has 6” wide (27” x 48” overall) high tensile strength steel forks reinforced at critical stress points and tapered with rugged entry guides. It has 8” mouldon polyurethane steering wheels & super wide solid polyurethane load wheels with high quality ball bearings in all wheels.

“CONTINENTAL” SHELVES & RACKS



TSR700 VENTILATED STORAGE SHELVES

The model 6484 ventilated shelf design allows for a moisture and dust-free storage environment for all your supplies. The generous 18” shelf spacing will handle most storage requirements. Four shelves are standard. Heavy-duty construction will hold up to 150 lb5. per shelf without sagging, bending or swaying. Structural plastic shelves, columns and dust caps will not rust, dent, peel or chip. Smooth, molded edges won’t cause injury or damage clothing. The unique “quick assembly” socket and column system make setup fast and easy. No tools or fasteners needed. Just like the model 6484 except the model 6485 NSF Shelf System is for Food Service Applications. This unit includes practical base leveling feet for cleaning and stability on most floor surfaces.



TSR702 STRUCTO TOUGH SHELVES

This 4-shelf unit is ideal for heavy use with chemical dispensing kegs, office supplies and other heavy items in warehouses, offices and janitor closets. Reinforced, raised shelf edge contains spills and provides exceptional strength. Structural plastic construction eliminates rusting, denting, chipping, peeling or staining. All shelves have slots for hanging tools or brushes. Fast, easy one-person assembly in minutes, no screws or bolts. Over 14” clearance between shelves. Grey in color.



TSR701 ‘DUNNAGE’ STORAGE RACKS


Durable polyethylene. Great for food storage. Interlocking with dunnage key.
 30” x 22” x 12” 1,500 lb. capacity, 4 legs.
 36” x 22” x 12” 1,500 lb. capacity, 4 legs
 48” x 22” x 12” 3,000 lb. capacity, 6 legs.
 60” x 22” x 12” 3,000 lb. capacity, 6 legs.

WITT SPACE CUBES



VENTILATED STORAGE SHELVES

The Spacecube’s modular locker system allows you to create more space easily. Eliminate clutter with these attractive molded plastic lockers. Spacecubes lockers simply outperform metal. Engineered with injection molded plastic, Spacecubes are available in a variety of bright colors that won’t fade, chip, scratch or dent like metal lockers. The molded-in door colors (red, yellow, blue and gray) will never wear or fade away. And corrosion-proof Spacecubes won’t rust — even when used outdoors. Designed for safety, the Spacecube lockers have an innovative hasp that allows you to close compartments without a lock or secure them with a padlock (as shown). They also feature tough nylon hinges, fitted with tamper-proof security pins covered by the door flange for maximum resistance to leverage and lock interference.



Model No.	Description	Dimensions (IN.)	Capacity	Weight	Color Shown
TSR703	SC-L Spacecube	12W x 12W x 18D	-	10.1	Red, Yellow, Blue, Gray
TSR704	SC-H Spacecube	12W x 12W x 18D	-	10.1	Red, Yellow, Blue, Gray
TSR705	SL-L Space Locker	12W x 36H x 18D	-	24.3	Red, Yellow, Blue, Gray
TSR706	SL-H Space Locker	12W x 36H x 18D	-	24.3	Red, Yellow, Blue, Gray
TSR707	B Base	11W x 2H x 17D	-	4.0	Off-White

Considerations when ordering:

*Cubes and lockers may be ordered with key or hasp lock configurations. Specify “K” or “H” with your order.

*Door colors available are red, yellow, blue or gray. Spacecubes bodies are off-white.

*To allow inventory flexibility, doors and locks are packed separately from bodies.



The complete line of products is available through Ultimate Sanitary Supply. For more information, visit our website at www.ultimatesanitarysupply.com.

To place an order, call (800)-853-5946.

MACHINE PALLET STRETCH WRAP FILM

Interap "EC" Series is a three-layer, cast, coextruded, linear low density polyethylene clear stretch film. It is recommended for use on conventional machinery that requires stretch up to 150%.



IPM700 .80 GAUGE 6000 FEET / ROLL

Will perform consistently at stretch levels up to 150%. Excellent cling and retains cling in a wide range of environments to -20F. Has good clarity, and puncture & tear resistance.

HAND STRETCH WRAP FILM



IPM701 .80 GAUGE* 1500 FEET / ROLL 18"

IPM702 .70 GAUGE 1500 FEET / ROLL 15" 18"

This high tensile strength and elongation film has excellent puncture and tear resistance. It has excellent cling and will perform consistently at higher stretch levels resulting in excellent cost/ performance value. Runs on all standard hand wrap machines. PACKED: 4 Rolls per carton. All rolls have a 3" core.

NIFTY® PRODUCTS "SQUEEZE IT"



IPM703 SQUEEZE IT® ONE-HANDED STRETCH WRAP

One-handed stretch wrap with the Patented "Squeeze-it®" Dispenser on every roll. This unique stretchy cohesive tape replaces regular tape by yielding the equivalent of 17 rolls of tape from one roll of Almost Tape. It doesn't have the damaging sticky adhesive that regular tape has because it sticks to itself not your object. Spins freely in your hand and cuts off with just a squeeze.

C.P.I. PACKAGING INC. PACKAGING CELL (BUBBLE WRAP)

Packages containing fragile glass or ceramic products are sure to arrive intact when protected with CPI bubble. All rolls are packaged 48" wide to a bag, slit into various widths as shown. Standard perforations are 12". (Special width slits and length perforations available upon request.) ORDER BY PACK ONLY.



SMALL BUBBLE 3/16"

IPM704 48" Slit No Perforations

IPM705 24" Slit No Perforations

IPM706 12" Slit No Perforations

IPM707 12" Slit with Perforations

LARGE BUBBLE 1/2"

IPM708 48" Slit No Perforations

IPM709 24" Slit No Perforations

IPM710 12" Slit No Perforations

IPM711 112" Slit with Perforations

"CONTINENTAL" STEP STOOL



STP700 ROLL-AROUND STEP STOOL

This structural plastic step stool is rugged enough to hold up to 300 lbs. . It won't rust, dent, chip or peel and the molded-in foot surface prevents slipping. Four retractable non-marking casters and an anti-skid bottom make it easy to maneuver and hold it in place during use. Color: Beige

CONTINENTAL INGREDIENT AND LARGE FOOD STORAGE BINS



FSP700 21 GALLON 27 3/4" x 12 3/4" x 29 15/16

FSP701 26 GALLON 27 3/4" x 15 1/4" x 29 15/16

These sturdy Ingredient/food storage bins are made of smooth meld structural plastic which provides a structural plastic core sandwiched between two smooth outer walls. This provides the best of strength and cleanability. The two section tilt and slide lid is uniquely designed for easy access and prevents cross contamination. Non-marking wide track 3" casters, 2 fixed, 2 swivel for fingertip maneuverability. Rear lid tab prevents breakage. Sized to fit under standard

CONTINENTAL POLY-CLEAR MEASURES



FSP702 1 PINT (16 oz.)

FSP703 1 QUART (32 oz.)

FSP704 2 QUART (64 oz.)

Our measures provide better safety; their deep handle dimensions prevent burns when transferring hot liquids. Each is designed with an "I" beam handle and thumb grip for strength and control when transferring any material. Metric and standard graduations are embossed onto each measure so they will not wash off, thereby extending service life and reducing replacement costs. A dent-free, poly-clear construction weighs less than stainless steel and aluminum versions and is resistant to food acids, stains and breakage.

CONTINENTAL POLY-CLEAR SCOOPS



FSP705 6 oz. Ice Scoop

FSP706 32 oz. utility Scoop

FSP707 64 oz. utility Scoop

Made of light weight yet strong poly clear construction, each scoop has a unique front edge to scrape compact product and even chip ice. Poly-clear construction means resistance to chipping, scratches and breakage, and transfer of temperature. The specially designed ergonomic hand grip prevents slipping while using with wet or oily hands. The thumb indentation allows for greater comfort and control, especially useful in the 64 oz. scoop.

'CONTINENTAL TRI-POUR' 60 OZ. PITCHER



FSP708 CN 9762- CL

Made of light weight yet strong poly clear construction, (Also available in Amber), the Tri-Pour Pitcher resists chipping, scratching and breakage. Its unique drip-proof spout and three-hp design allows servers to use the front when pouring liquid only or the sides when ice is also desired. It puts an end to awkward, messy serving problems! Attractive cut-crystal design. Dishwasher safe, temperature rated from -400 to 2120 F.

CONTINENTAL POLY-CLEAR MEASURES



FSP709 "CONTINENTAL" 125 LB. (68.04 KG.) CAPACITY MOBILE ICE BINS

Metal free lid & bin designed to eliminate unsightly rust & corrosion. The patented multi-position, self-storing lid allows for greater access to bin contents while preventing lid contamination. Built-in front assist handle allows for easy vehicle loading and unloading. The easy-access leak-proof drain faucet is nested within the profile of the body to prevent accidental damage. 8" Rear Wheel, 5" front wheel w/1 locking caster. 28 1/4" x 22 1/2" x 33 1/2" 10" Rear Wheel, 5" front wheel w/1 locking caster. 28 1/4" x 22 1/2" x 44"

CONTINENTAL' 32 GALLON FOOD CRISPER BIN



FSP710

Continental's Crisper is the ideal storage and processing container for vegetables, meat, poultry and fish. Space saving square design fits under standard counters. The square design has a lower profile and is more stable than round containers. The Crisper comes complete with the dolly, base container, perforated liner, lid and drain spigot. Easily transports produce from prep area to walk-in. Twist-on, twist-off dolly allows for easy mobility, even when full. The convenient drain faucet eliminates lifting and tipping when draining the contents. Continental Crispers are made of USDA-accepted materials and comply with FDA regulations. 21 1/2" x 25" x 34 1/4". White

CONTINENTAL GRILBRIK® & GRIDDLE SCREEN



FSP711 GRILBRIK® GRILL CLEANERS

The leading grill cleaner on the market today for cleaning dirty, residue-encrusted grills. Can be safely used on hot grills without scratching or lifting the grill cure. 8" x 4" x 3 1/2" (wrapped 12 pack)